



JUMBO SUSPENDED




| | |
|------------------------|---------------------------|
| Body | Stainless Steel |
| Diffuser | Opal PMMA-Micro Prismatic |
| Source of Light | Power LED |
| Lumen/Watt | 120Lm/W |
| Input Voltage | 220-240V AC 50/60 Hz |
| Mounting | Suspended |
| Dimensions | W:70 H:80mm |
| Light Color | 3000K-4000K-6500K |
| CRI | >80 |
| Dim | DALI / 1-10V |
| IP Rating | IP20 |




LED





IP20





| Product Code | Product | Watt | Lumen | CRI | Light Color | Dimensions mm |
|------------------|-----------|------|---------|-----|-----------------|-------------------|
| JMB450.SU/70.99 | Suspended | 99W | 11880Lm | >80 | 3000-4000-6500K | 70x80x700x1547mm |
| JMB530.SU/70.170 | Suspended | 170W | 20400Lm | >80 | 3000-4000-6500K | 70x80x900x1749mm |
| JMB650.SU/70.208 | Suspended | 208W | 25200Lm | >80 | 3000-4000-6500K | 70x80x1200x2047mm |















































| | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |